**KCA Laboratories** 232 North Plaza Drive Nicholasville, KY 40356 (833) 522-5227 https://kcalabs.com KDA Lic.# P\_0058

1 of 1

Result

## 20 mg Green Apple CBD Chewable Gel

Sample ID: 2103KCA0368.0888

Cultivar: N/A

Matrix: Ingestible Type: Soft Chew

Received: 03/11/2021 Completed: 03/16/2021

Batch#: 248 Sample Size:

ž Ÿ~nL^) , Ÿ~">s-~ž L} ...



Summary

Cannabinoids

Test Date Tested

03/16/2021 Complete

Cannabinoids by HPLC-PDA

0.01029%

**Total THC** 

0.39942%

**Total CBD** 

0.43755%

**Total Cannabinoids** 

NT

Not Tested

Moisture Content

**Not Tested** 

Complete

Foreign Matter

Analyte	LOD	LOQ	Result	Result			2103KCA0368.0888				
	%	%	%	mg/unit	mAU						
CBC	0.00009	0.00028	0.02047	1.0867		-	A A				
CBCA	0.00018	0.00054	ND	ND		-					
CBCV	0.00006	0.00018	ND	ND	1	1250					
CBD	0.00008	0.00024	0.39799	21.1279		-					
CBDA	0.00004	0.00013	0.00163	0.0865		-					
CBDV	0.00006	0.00018	0.00311	0.1651	1	1000					
CBDVA	0.00002	0.00006	ND	ND							
CBG	0.00006	0.00017	0.00354	0.1879		750					
CBGA	0.00005	0.00015	ND	ND		750					
CBL	0.00011	0.00033	<loq< th=""><th><loq< th=""><th></th><th></th><th></th><th></th><th></th><th></th></loq<></th></loq<>	<loq< th=""><th></th><th></th><th></th><th></th><th></th><th></th></loq<>							
CBLA	0.00012	0.00037	ND	ND		500					
CBN	0.00006	0.00017	0.00052	0.0276		500					
CBNA	0.00006	0.00018	ND	ND					P		
Δ8-THC	0.00010	0.00031	ND	ND		250			stands		
Δ9-THC	0.00008	0.00023	0.01029	0.5463		- PA	H.	- BC	ama (		
THCA	0.00008	0.00025	ND	ND		CBDV CBE CB	Ø	. //	\ Inte	E	
THCV	0.00007	0.00021	ND	ND		1 Minutes	<u>*************************************</u>	ਰ / \	$\mathcal{N}$	CBT	
THCVA	0.00006	0.00019	ND	ND		-					
Total THC			0.01029	0.54630		2.5	5.0	7.5		10.0 min	
Total CBD			0.39942	21.20380						111111	
Total			0.43755	23.2280							

Total THC = THCA \*  $0.877 + \Delta 9$ -THC Total CBD = CBDA \* 0.877 + CBD

LOD = Limit of Detection

LOQ = Limit of Quantitation ND = None Detected

For plant material, the reported result is based on a sample weight with the applicable moisture content for that sample.



Wes Rogers

Principal Scientist 03/16/2021





ISO/IEC 17025:2017 Accredited Accreditation #108651

This product or substance has been tested by KCA Laboratories using validated testing methodologies and a quality system. Values reported relate only to the product or substance tested. KCA Laboratories makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected amounts of any substances reported herein. This Certificate of Analysis shall not be reproduced except in full, without the written approval of KCA Laboratories.